Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	2	apparatus and "6754714".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:15
S3	2	"6477586".pn. and (apparatus$2 program$1 (computer adj (readable executable)) code software system)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:54
S4	2	"6477586".pn. and (processor$1 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 11:30
S5	176	"709"/$.ccls. and ((network adj address$2) with MAC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 11:38
S6	95	"709"/$.ccls. and ((network adj address$2) near4 MAC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 11:40
S7	4	S6 and messag$8.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 11:39
S8	8	"709"/$.ccls. and ((network adj address$2) near4 ((network adj access adj service adj point) NSAP))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 11:42
S9	9	((digital adj network adj control adj system$1) DNCS) and ((single one uni shar$5 only) near (channel connection port link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:30
S10	45678	S3.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:23
S11	300	S3.ab. and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:24

S12	7	S2.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:10
S13	5576	S3.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:23
S14	15	S3.ti. and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:24
S15	1461	((single one uni shar$5 only) near (channel connection port link)) same ((multiple several number many plurality multi) near (thread$1 process$2 application$1 program$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 15:17
S16	487	((single one uni shar$5 only) near (channel connection port link)) with ((multiple several number many plurality multi) near (thread$1 process$2 application$1 program$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:33
S17	138	(((single one uni shar$5 only) near (channel connection port link)) same ((multiple several number many plurality multi) near (thread$1 process$2 application$1 program$2))) and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:34
S18	138	"11".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:33
S19	11	"11".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:33
S20	50	(((single one uni shar$5 only) near (channel connection port link)) with ((multiple several number many plurality multi) near (thread$1 process$2 application$1 program$2))) and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 14:34

S21	165	(multi near thread$2) with (connection port channel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 15:18
S22	38	((multi near thread$2) with (connection port channel)) and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 15:18
S23	7	"17".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 15:30
S24	22	"17".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 15:37
S25	11	((single one uni shar$5 only) near (channel connection port link)) with ((plurality several mulitple many several) near thread$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/02 15:40
S26	108	(digital adj network adj control adj system$1) DNCS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:05
S27	1	((digital adj network adj control adj system$1) DNCS) and ((multiple various plurality many several different) near (thread$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:47
S28	55	((digital adj network adj control adj system$1) DNCS) and ((multiple various plurality many several different) near (process$2 application$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:13
S29	1	((digital adj network adj control adj system$1) DNCS) and multi-thread$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:14
S30	229702	(single one uni shar$5 only) near (channel connection port link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:15

S31	9	((digital adj network adj control adj system$1) DNCS) and ((single one uni shar$5 only) near (channel connection port link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:44
S32	2066	connection$1 near shar$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:46
S33	319	(connection$1 near shar$5) and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:47
S34	46	(connection$1 near shar$5) and ((multiple various plurality many several different) near (thread$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 11:19
S35	1	(connection$1 near shar$5) and ((digital adj network adj control adj system$1) DNCS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 10:48
S36	169	"63".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 13:09
S37	0	"63".ti. and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/03 13:09

S38	32	(US-5553242-$ or US-6145015-$ or US-6279041-$ or US-6546428-$ or US-6643690-$ or US-6691166-$ or US-6711621-$ or US-6771646-$ or US-5784649-$ or US-6084584-$ or US-6263370-$ or US-6735770-$ or US-6477586-$ or US-6748556-$ or US-5596745-$ or US-6598068-$). did. or (US-20020013853-$ or US-20020103884-$ or US-20020107910-$ or US-20030069924-$ or US-20030069923-$ or US-20030074393-$ or US-20030079023-$ or US-20030120782-$ or US-20040133631-$ or US-20020042828-$ or US-20020107966-$ or US-20040210695-$ or US-20020100059-$ or US-20030035416-$).did. or (EP-953907-$).did. or (US-20030023617-$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/11/04 14:33
S39	20	((US-5553242-$ or US-6145015-$ or US-6279041-$ or US-6546428-$ or US-6643690-$ or US-6691166-$ or US-6711621-$ or US-6771646-$ or US-5784649-$ or US-6084584-$ or US-6263370-$ or US-6735770-$ or US-6477586-$ or US-6748556-$ or US-5596745-$ or US-6598068-$). did. or (US-20020013853-$ or US-20020103884-$ or US-20020107910-$ or US-20030069924-$ or US-20030069923-$ or US-20030074393-$ or US-20030079023-$ or US-20030120782-$ or US-20040133631-$ or US-20020042828-$ or US-20020107966-$ or US-20040210695-$ or US-20020100059-$ or US-20030035416-$).did. or (EP-953907-$).did. or (US-20030023617-$).did.) and (compar$7)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/11/04 14:33
S40	2866	((propos$5 select$6 option$7 intend$6 determ$6) with (mode$1 manner connect$6 channel$1 transfer$7 port$6 link$5)) and ((multiple pluarlity serveral multi many variouis) near (thread$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:27

S41	191	((propos$5 select$6 option$7 intend$6 determ$6) with (mode$1 manner connect$6 channel$1 transfer$7 port$6 link$5)) same ((multiple pluarlity serveral multi many variouis) near (thread$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:07
S42	15007	(messag$6) with (mode$5 means manner) with (transfer$6 communicat$6 channel$1 link$1 port$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:05
S43	163	((messag$6) with (mode$5 means manner) with (transfer$6 communicat$6 channel$1 link$1 port$1)) and ((multiple serveral plurality many multi) near (thread$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:15
S44	314	((messag$6) with (mode$5 means manner) with (transfer$6 communicat$6 channel$1 link$1 port$1)) and ((multiple serveral plurality many multi) near (thread$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:06
S45	112	(((messag$6) with (mode$5 means manner) with (transfer$6 communicat$6 channel$1 link$1 port$1)) and ((multiple serveral plurality many multi) near (thread$2))) and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:07
S46	91	(((propos$5 select$6 option$7 intend$6 determ$6) with (mode$1 manner connect$6 channel$1 transfer$7 port$6 link$5)) with ((multiple pluarlity serveral multi many variouis) near (thread$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:08
S47	31	(((propos$5 select$6 option$7 intend$6 determ$6) with (mode$1 manner connect$6 channel$1 transfer$7 port$6 link$5)) same ((multiple pluarlity serveral multi many variouis) near (thread$1))). ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:08
S48	50	(((messag$6) with (mode$5 means manner) with (transfer$6 communicat$6 channel$1 link$1 port$1)) and ((multiple serveral plurality many multi) near (thread$1))) and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 16:01

S49	1	((messag$6) with (mode$5 means manner) with (transfer$6 communicat$6 channel$1 link$1 port$1)) same((multiple serveral plurality many multi) near (thread$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 15:16
S50	2410	((propos$5 select$6 option$7 intend$6 determ$6) with (connect$6 channel$1 transfer$7 port$6 link$5)) and ((multiple pluarlity serveral multi many variouis) near (thread$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 16:55
S51	651	"74".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 16:06
S52	0	"74".ti. and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 16:07
S53	2	"74".ti. and messag$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 16:22
S54	34	"74".ab. and messag$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 16:23
S55	134	((propos$5 select$6 option$7 intend$6 determ$6) with (connect$6 channel$1 transfer$7 port$6 link$5)) same ((multiple pluarlity serveral multi many variouis) near (thread$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 16:56
S56	70	"74".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:45
S57	14	"74".ab. and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:46

S58	3449	(select$5 choos$5 option$6 determin$5) with (channel$1 link$1 connect$9 communicat$8) with (thread$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:49
S59	46	S3.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:47
S60	685	(select$5 choos$5 option$6 determin$5) near2 (channel$1 link$1 connect$9 communicat$8) with (thread$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:50
S61	744	(select$5 choos$5 option$6 determin$5) near2 (transfer$8 channel$1 link$1 connect$9 communicat$8) with (thread$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:50
S62	15	S5.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:50
S63	115	S5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 15:56
S64	632	718/104.ccls.	USPAT	OR	OFF	2004/11/05 16:12
S65	141	718/104.ccls. and ((select$8 determin$8 choos$7 option$5) near3 (channel$6 transfer$7 connect$8 link$7 port$1))	USPAT	OR	OFF	2004/11/05 16:16
S66	265	718/104.ccls. and ((select$8 determin$8 choos$7 option$5) with (channel$6 transfer$7 connect$8 link$7 port$1))	USPAT	OR	OFF	2004/11/05 16:16
S67	26547	((select$8 determin$8 choos$7 option$5) near3 (channel$6 transfer$7 connect$8 link$7 port$1)).ab.	USPAT	OR	OFF	2004/11/05 16:16
S68	1363	((select$8 determin$8 choos$7 option$5) near3 (channel$6 transfer$7 connect$8 link$7 port$1)).ti.	USPAT	OR	OFF	2004/11/05 16:16

S69	0	(((select$8 determin$8 choos$7 option$5) near3 (channel$6 transfer$7 connect$8 link$7 port$1)).ti.) and 718/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:17
S70	13	(718/104.ccls. and ((select$8 determin$8 choos$7 option$5) near3 (channel$6 transfer$7 connect$8 link$7 port$1))) and ((multiple plurality serveral many various multi) near2 thread$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:25
S71	36	(718/104.ccls. and ((select$8 determin$8 choos$7 option$5) with (channel$6 transfer$7 connect$8 link$7 port$1))) and ((multiple plurality serveral many various multi) near2 thread$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:18
S72	12	(((select$8 determin$8 choos$7 option$5) near3 (channel$6 transfer$7 connect$8 link$7 port$1)).ab.) and 718/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/05 16:21
S73	294	709/207.ccls.	USPAT	OR	OFF	2004/11/08 09:57
S74	32	709/207.ccls. and (thread$1)	USPAT	OR	OFF	2004/11/08 09:57
S75	2	709/207.ccls. and thread$1.ab.	USPAT	OR	OFF	2004/11/08 09:46
S76	1348	709/227.ccls.	USPAT	OR	OFF	2004/11/08 09:48
S77	1	709/227.ccls. and thread$1.ti.	USPAT	OR	OFF	2004/11/08 09:48
S78	8	709/227.ccls. and thread$1.ab.	USPAT	OR	OFF	2004/11/08 09:56
S79	522	709/207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 09:57
S80	32	709/207.ccls. and (thread$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 09:57
S81	55	709/207.ccls. and (thread$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 09:57
S82	4	709/207.ccls. and thread$1.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 09:59

S83	2239	709/227.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:00
S84	244	709/227.ccls. and thread$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:00
S85	15	709/227.ccls. and thread$1.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:04
S86	1486	709/226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:04
S87	187	709/226.ccls. and thread$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:04
S88	23	709/226.ccls. and thread$1.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:33
S89	184	709/226.ccls. and (reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 15:24
S90	465	709/227.ccls. and (reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:37
S91	153	709/227.ccls. and (reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 tranfer$7) same (alternat$7 substitut$7 different echang$7 replac$7 $2chang$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:40

S92	153	709/227.ccls. and ((reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 tranfer$7) same (alternat$7 substitut$7 different echang$7 replac$7 $2chang$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:23
S93	18	(709/227.ccls. and ((reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 tranfer$7) same (alternat$7 substitut$7 different echang$7 replac$7 $2chang$7))) and thread$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 10:42
S94	5	(709/226.ccls. and ((reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 tranfer$7) same (alternat$7 substitut$7 different echang$7 replac$7 $2chang$7))) and thread$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:16
S95	44	709/226.ccls. and ((reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 tranfer$7) same (alternat$7 substitut$7 different echang$7 replac$7 $2chang$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:24
S96	1562	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:23
S97	82	709/225.ccls. and ((reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 tranfer$7) same (alternat$7 substitut$7 different exchang$7 replac$7 $2chang$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:24
S98	1152	709/228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:24

S99	66	709/228.ccls. and ((reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 tranfer$7) same (alternat$7 substitut$7 different exchang$7 replac$7 $2chang$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:25
S100	15	(709/225.ccls. and ((reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 tranfer$7) same (alternat$7 substitut$7 different exchang$7 replac$7 $2chang$7))) and thread$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:36
S101	7	(709/228.ccls. and ((reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 tranfer$7) same (alternat$7 substitut$7 different exchang$7 replac$7 $2chang$7))) and thread$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 11:38
S102	44	709/226.ccls. and (reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 tranfer$7) same (alternat$7 substitut$7 different replac$7 $2chang$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 12:47
S103	1152	709/228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 12:46
S104	7	(709/228.ccls. and (reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 tranfer$7) same (alternat$7 substitut$7 different replac$7 $2chang$7)) and thread$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 13:24
S105	66	709/228.ccls. and (reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 tranfer$7) same (alternat$7 substitut$7 different replac$7 $2chang$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 12:53

S10 6	6060	thread$2 and (reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 tranfer$7) same (alternat$7·substitut$7 different replac$7 $2chang$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 12:54
S10 7	4356	"718"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 12:54
S10 8	25	(thread$2 and (reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 tranfer$7) same (alternat$7 substitut$7 different replac$7 $2chang$7)) and "718"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 12:54
S10 9	2	"20030056001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:06
S11 0	3166	((shared one uni single) near2 (connection channel port communication link)) and ((cable adj head adj end$1) (set adj box adj top$1) (cable adj network$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:13
S11 1	1370	((shared one uni single) near2 (connection channel port communication link)) and ((cable adj head adj end$1) (set adj box adj top$1) (cable adj network$5) same (application$1 program$1 process$2 routine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:14
S11 2	1371	((shared one uni single) near2 (connection channel port communication link)) and ((cable adj head adj end$1) (set adj box adj top$1) (cable adj network$5) same (thread$1 application$1 program$1 process$2 routine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:16
S11 3	188	(((shared one uni single) near2 (connection channel port communication link)) and ((cable adj head adj end$1) (set adj box adj top$1) (cable adj network$5) same (thread$1 application$1 program$1 process$2 routine$1))) and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:15

S11 4	734	((shared one uni single) near2 (connection channel port communication link) with (thread$1 application$1 program$1 process$2 routine$1)) and ((cable adj head adj end$1) (set adj box adj top$1) (cable adj network$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 15:24
S11 5	88	(((shared one uni single) near2 (connection channel port communication link) with (thread$1 application$1 program$1 process$2 routine$1)) and ((cable adj head adj end$1) (set adj box adj top$1) (cable adj network$5))) and "709"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 14:23
S11 6	199	709/226.ccls. and (reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 path$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 15:25
S11 7	77	709/226.ccls. and ((reject$5 deny deni$7 disallow$5 refus$7 declin$7 discard$6 eliminat$6) with (connect$7 communicat$5 channel$1 port$1 path$1) same (thread$1 application$1 process$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 15:33
S11 8	102	709/223-229.ccls. and ((determin$7 select$7 choos$5 pick$5 option$8 alternat$8 substitut$8 replac$8 differ$8 switch$7) with (path$1 connect$7 port$1 channel$1 link$1 seesion$1)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 16:06
S11 9	7	(709/223-229.ccls. and ((determin$7 select$7 choos$5 pick$5 option$8 alternat$8 substitut$8 replac$8 differ$8 switch$7) with (path$1 connect$7 port$1 channel$1 link$1 seesion$1)).ti.) and (thread$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 16:07
S12 0	7	(709/223-229.ccls. and ((determin$7 allocat$8 select$7 choos$5 pick$5 option$8 alternat$8 substitut$8 replac$8 differ$8 switch$7) with (path$1 connect$7 port$1 channel$1 link$1 seesion$1)).ti.) and (thread$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/08 16:07
S12 1	111	709/223-229.ccls. and ((determin$7 allocat$8 select$7 choos$5 pick$5 option$8 alternat$8 substitut$8 replac$8 differ$8 switch$7) with (path$1 connect$7 port$1 channel$1 link$1 seesion$1)).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 10:09